





VALUE IN WEIGHING

A Range of Catering Scales for the Retail Industry





A wide range of kitchen scale that are accurate and reliable at an exceptional value.

Compact Kitchen Scales



EPB Series: Is a convenient, compact and portable scale. It offers unparalleled weighing performance, with the advantage of low cost and affordability.

- **Capacity:** 500 g x 0.01 g, 3000 g x 0.1 g
- **Construction:** ABS plastic with stainless steel weighing platter and plastic protector cover
- **Platform Dimension:** 100 mm x 100 mm / 4" x 4"
- **Power:** Two AAA batteries (included)



6030: This IP67 scale lessens the amount of food scrapped by accurately weighing the ingredients and portions served.

IP67


311: This simple, weight-only electronic NSF scale is perfect for precise measurements for recipes.



- **Capacity:** 5000 g x 1 g, 11 lb x 0.1 oz
- **Construction:** ABS plastic injection molded case and platter (150% overload protection)
- **Platform Dimension:** 149 mm / 5.875" diameter
- **Power:** Four AA batteries (included)
- **Certification:** NSF
- **Capacity:** 5000 g x 1 g, 10 lb x 0.002 lb, 10 lb x 0.05 oz, 160 oz x 0.5 oz
- **Construction:** Food grade stainless steel upper cover and removable stainless steel platter for easy cleaning
- **Platform Dimension:** 150 mm x 120 mm / 5.9" x 4.7"
- **Power:** 9V alkaline battery (included)
- **Certification:** NSF pending, IP67

Easy-to-use scale great for use in food operations to build consistent products and help control ingredient costs.

Portion Control Scales



WS Series: These bench scales offer the user a competitively priced bench scale with 1:3000 resolution

- **Capacity:**

WS15: 15 kg x 5 g / 30 lb x 0.01 lb

WS60: 60 kg x 20 g / 130 lb x 0.01 lb

WS120: 120 kg x 50 g / 260 lb x 0,1 lb

- **Construction:** Low profile stainless steel platform with mild steel understructure, stainless steel/ABS indicator with wall bracket and desk mount included

- **Platform Dimension:**

380 mm x 300 mm x 27 mm / 14" x 11" x 1"

- **Power:** UK/EU AC power adapter (included) or four AAA batteries (not included)



B140: Is a robust, highly accurate, NSF counting scale ideal for use in any busy receiving/shipping areas or easy food portioning.

- **Capacity:**

6 kg x 0.02 g / 12 lb x 0.0005 lb

15 kg x 0.05 g / 30 lb x 0.001 lb

30 kg x 1 g / 60 lb x 0.002 lb

- **Construction:** Rugged ABS base with stainless steel weight platter

- **Platform Dimension:**

215 mm x 245 mm / 8.5" x 9.5"

- **Power:** AC adapter and rechargeable battery (approx. 20 hrs.)

- **Certification:** NSF

Model 405-LCD: This scale is ideal where portion control of ingredients is essential.



- **Capacity:** 6 kg x 1 g / 12 lb x 0.05 oz
15 kg x 2 g / 30 lb x 0.1 oz

- **Construction:** ABS plastic housing with food grade 304 stainless steel weight platter

- **Platform Dimension:**

215 mm x 245 mm / 8.5" x 9.5"

- **Power:** AC power adapter (included) or four AA batteries (not included) with up to 38 hrs. of battery life

- **Certification:** NSF pending

C3236: Designed for speed and efficiency allowing you to quickly and easily view data before pressing tare between ingredients.




IP68

- **Capacity:**

3 kg x 0.2 g / 6 lb x 0.01 oz

7 kg x 0.5 g / 15 lb x 0.02 oz

15 kg x 1 g / 30 lb x 0.05 oz

- **Construction:** Food grade 304 stainless steel housing and top pan and IP68 (NEMA4X) water ingress protection


- **Platform Dimension:** 190 mm x 110 mm / 7.5" x 10"

- **Power:** Removable AC power adapter (included) and rechargeable battery (approx. 62 hrs.)



These scales can easily be linked to ECR, point of sale software in a few simple steps or can be used in back counter for rapid and precise portion control applications.

POS Scales



6700U Series (USB):

This NSF approved scale provides accurate weight measurements saving on ingredient costs and maintain product quality.

- **Capacity:** 2.5 kg / 5 lb, 7.5 kg / 15 lb, 15 kg / 30 lb, 30 kg / 60 lb, 68 kg / 150 lb
- **Construction:**
6702U/6710U: Aluminum plate understructure and stainless steel platter
6720U: Heavy duty cast aluminum X shape support and stainless steel platter
- **Platform Dimension:**
6702U: 152 mm x 254 mm / 6" x 10"
6710U: 254 mm x 254 mm / 10" x 10"
6720U: 305 mm x 355 mm / 12" x 14"
- **Power:** AC power adapter with center positive (included) or USB (VCP) cable (not included)
- **Certification:** EC-OIML, NSF